		2	死亡数		——————————— 部位割合			粗死亡率			年齢調整死亡率						累積死亡	率(0-74	4歳)
部位											日本人口			世界人口					
	ICD-10	男	女	総数 *1	男	女	総数	*1 男	女	総数 *	1 男	女	総数 *1	男	女	総数 *1	男	女 総	※数 *
全部位	C00-C97 D00-D47	14, 727	10, 057	24, 784	100.0	100. 0	100.0	328. 5	222. 8	275. 5	148. 0	85. 3	113. 0	99. 7	60. 1	77. 6	10. 4	6. 3	8. 3
è 部位	C00-C97	14, 275	9, 699	23, 974	96. 9	96. 4	96. 7	318. 4	214. 9	266. 5	143. 8	82. 8	109. 8	96. 9	58. 3	75. 4	10. 2	6. 2	8.
Te comment of the com	C00	1	2	3	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5根<基底>部	CO1	1 56	0 37	93	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0. 0 0. 4	0.0	0.0	0. 0 0. 3	0.0	0.0	0. (
その他および部位不明の舌 函肉	C02 C03	40	38	93 78	0.4	0.4	0.4		0.8	1. 0 0. 9	0. 6 0. 4	0.3	0.4	0.4	0. 2	0. 3	0. 0 0. 0	0.0	0. (
1腔底	C04	11	3	14	0. 1	0.0	0. 1	0. 2	0. 1	0. 2	0. 1	0. 0	0. 1	0. 1	0.0	0. 1	0. 0	0. 0	0. (
1蓋	C05	4	0	4	0.0	0.0	0.0	0. 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0. (
の他および部位不明の口腔	C06	16	13	29	0.1	0. 1	0. 1	0.4	0. 3	0.3	0. 2	0. 1	0.1	0.1	0.0	0.1	0.0	0.0	0.
下腺	C07	18	10	28	0. 1	0. 1	0. 1	0.4	0. 2	0.3	0. 2	0. 1	0. 1	0. 2	0.0	0. 1	0.0	0.0	0.
その他および部位不明の大唾液腺	C08	11	5	16	0.1	0.0	0.1	0. 2	0.1	0. 2	0. 1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.
a 林 □ 四耳頭	CO9	71	1 19	2 90	0. 0 0. 5	0.0	0.0		0. 0 0. 4	0. 0 1. 0	0. 0 0. 8	0. 0 0. 2	0. 0 0. 5	0. 0 0. 6	0. 0 0. 1	0. 0 0. 3	0. 0 0. 1	0. 0 0. 0	0. 0.
4<上>咽頭	C10 C11	13	2	15	0. 1	0. 0	0. 4	0.3	0. 4	0. 2	0. 0	0. 0	0. 1	0. 0	0. 0	0. 1	0. 1	0. 0	0.
以大路凹<河>	C12	1	0	1	0.0	0.0			0. 0	0.0	0. 0	0. 0	0.0	0.0	0.0	0. 0	0.0	0.0	0.
四頭	C13	112	13	125	0.8	0. 1	0.5	2. 5	0.3	1.4	1. 2	0. 1	0.7	0.8	0.1	0.5	0. 1	0.0	0.
一の他および部位不明確の口唇、口腔および咽頭	C14	39	6	45	0. 3	0. 1	0. 2		0. 1	0. 5	0.4	0.0	0. 2	0. 3	0.0	0. 1	0.0	0.0	0.
道 ·	C15	737	155	892	5.0	1.5	3.6		3. 4	9. 9	7. 9	1.4	4. 5	5. 4	1.0	3. 1	0. 7	0.1	0.
] >	C16	1, 793 47	829 30	2, 622 77	12. 2	8. 2 0. 3	10. 6 0. 3		18. 4 0. 7	29. 1 0. 9	17. 3 0. 5	6. 2 0. 3	11. 2 0. 4	11.5	4. 3 0. 2	7. 5 0. 3	1. 1 0. 0	0. 4 0. 0	0.
· 版	C17 C18	1, 197	1, 094	2, 291	8. 1	10. 9	9. 2		24. 2	25. 5	12. 3	8.3	10. 1	0. 4 8. 4	5.8	7. 0	0.0	0. 6	0.
腸S状結腸移行部	C19	13	10	23	0. 1	0. 1	0. 1	0.3	0. 2	0. 3	0. 1	0.1	0. 1	0. 1	0.1	0. 1	0. 0	0. 0	0.
腸	C20	618	354	972	4. 2	3. 5	3. 9		7. 8	10.8	7. 1	3. 1	5. 0	5. 0	2. 2	3. 6	0.6	0. 2	0.
[門および肛門管	C21	11	14	25	0. 1	0. 1	0. 1	0. 2	0. 3	0.3	0. 1	0. 1	0. 1	0. 1	0. 1	0. 1	0.0	0.0	0
および肝内胆管	C22	993	461	1, 454	6. 7	4. 6	5. 9		10. 2	16. 2	10. 1	2. 9	6.3	6. 9	1.9	4. 2	0.8	0. 2	0
1005	C23	160	182	342	1.1	1.8	1.4		4. 0	3.8	1.4	1.2	1.3	0.9	0.8	0.9	0.1	0.1	0.
- の他および部位不明の胆道	C24	443	300	743	3.0	3.0	3.0		6.6	8.3	4.1	1.9	2.9	2.7	1.2	1.9	0. 2	0.1	0.
É臓 ∹の他および部位不明の消化器	C25 C26	1, 212	1, 144	2, 356 12	8. 2 0. 0	11.4	9. 5 0. 0	27. 0 0. 1	25. 3 0. 2	26. 2 0. 1	12.8	9.0	10. 8 0. 0	8. 7 0. 0	6. 1 0. 0	7. 3 0. 0	1. 0 0. 0	0.7	0.
・の他および部位不明の消化器 L腔および中耳	C26 C30	9	9	18	0. 0	0. 1	0. 0		0. 2	0. 2	0. 0	0. 1	0. 1	0. 1	0. 0	0. 0	0.0	0.0	0
農産	C31	38	20	58	0. 1	0. 1			0. 4	0. 2	0. 1	0. 1	0. 1	0. 1	0. 1	0. 1	0. 0	0.0	0.
頭	C32	39	7	46	0. 3	0. 1	0. 2		0. 2	0. 5	0. 4	0.0	0. 2	0. 3	0.0	0. 1	0.0	0. 0	0.
管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
(管支および肺	C34	3, 247	1, 412	4, 659	22. 0	14. 0	18.8	72. 4	31.3	51.8	32. 2	10.9	20.6	21.4	7.3	13. 7	2. 3	0.8	1.
nlk	C37	15	9	24	0. 1	0. 1	0. 1	0. 3	0. 2	0.3	0. 2	0. 1	0. 2	0. 2	0. 1	0. 1	0.0	0.0	0.
勝、縦隔および胸膜	C38	8	5	13	0.1	0.0	0.1		0. 1	0.1	0. 1	0. 1	0.1	0.1	0.0	0. 1	0.0	0.0	0.
の他および部位不明確の呼吸器系および胸腔内臓器 (四) 肢の骨および関節軟骨	C39 C40	0 6	0	0 9	0.0	0.0	0. 0 0. 0		0. 0 0. 1	0. 0 0. 1	0. 0 0. 1	0. 0. 0 0. 0	0. 0 0. 1	0. 0 0. 1	0.0	0. 0 0. 1	0.0	0. 0 0. 0	0. 0.
・の他および部位不明の骨および関節軟骨	C40	13	5	18	0.0	0.0	0. 0	0. 1	0. 1	0. 1	0. 1	0.0	0. 1	0. 1	0.0	0. 1	0.0	0. 0	0.
は南の悪性黒色腫	C43	23	27	50	0. 2	0. 3		•••••	0. 6	0. 6	0. 2	0. 3	0. 3	0. 2	0. 2	0. 2	0. 0	0. 0	0.
腐のその他	C44	28	32	60	0. 2	0. 3	0. 2	0.6	0. 7	0. 7	0.3	0. 2	0. 2	0. 2	0.1	0. 2	0.0	0.0	0.
□皮腫	C45	78	15	93	0. 5	0. 1	0. 4	1. 7	0. 3	1.0	0.8	0. 1	0.4	0.5	0. 1	0.3	0. 1	0.0	0.
コポジ肉腫	C46	0	0	0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
5梢神経および自律神経系の悪性新生物	C47	4	1	5	0.0	0.0	0.0		0.0	0. 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
後腹膜および腹膜	C48 C49	17 45	66 26	83 71	0.1	0.7	0.3		1. 5 0. 6	0. 9 0. 8	0. 2 0. 5	0. 7 0. 3	0. 5 0. 4	0. 1 0. 4	0. 5 0. 2	0. 3 0. 3	0. 0 0. 0	0. 1 0. 0	0. 0.
- の他の結合組織および軟部組織 L房		5	1. 087	1, 092	0.0	10.8	4.4	0. 1	24.1	12. 1	0.1	13. 1	6. 7	0.0	9.8	5. 0	0. 0	1. 2	0. 0.
.房 !陰	C51	-	18		-	0. 2	0. 1		0. 4	-	-	0. 1	-	-	0. 1	-	-	0.0	
	C52	-	7	7	-	0. 1	0.0	-	0. 2	-	-	0. 1	-	-	0.0	-	-	0.0	
- 宮頸部	C53	-	184	184	-	1.8	0. 7	-	4. 1	-	-	2. 5	-	-	1.9	-	-	0. 2	
· 宫体部	C54	-	164	164	-	1.6	0. 7		3. 6	-	-	1.9	-	-	1. 3	-	-	0. 2	
子宫部位不明	C55	-	94	94	-	0. 9	0.4		2. 1	-	-	1.1	-	-	0.8	-	-	0. 1	
9巣 - のはなしば如仕て四のためが四	C56	-	318 9	318 9	-	3. 2			7.0	-	-	3.9	-	-	2.9	-	_	0.3	
-の他および部位不明の女性性器 ◇盤	C57 C58	_	9	9	_	0.1	0. 0		0. 2	_	_	0.1	-	_	0.1	_	_	0. 0 0. 0	
<u> </u>	C60	14		14	0. 1		0. 1	0. 3			0. 1		-	0. 1		_	0. 0	<u>v.</u>	•••••
	C61	844	_	844	5. 7	-	3. 4		-	-	7. 1	-	-	4. 6	-	-	0.4	-	
巣	C62	4	-	4	0.0	-	0.0	0.1	-	-	0. 1	-	-	0.1	-	-	0.0	-	
の他および部位不明の男性性器	C63	1		1	0.0		0.0	0.0			0.0		_	0.0		_	0.0	<u>-</u>	
『盂を除く腎	C64	184	88	272	1. 2	0. 9	1.1	4. 1	1.9	3. 0	1.8	0. 6	1. 2	1. 2	0.5	0.8	0. 1	0.0	0.
3 盂	C65	94	47	141	0.6	0.5	0.6		1.0	1.6	0.8	0.3	0.5	0.6	0.2	0.4	0.1	0.0	0.
等 B胱	C66 C67	88 400	44 163	132 563	0. 6 2. 7	0. 4 1. 6	0. 5 2. 3		1. 0 3. 6	1. 5 6. 3	0. 8 3. 4	0. 2 0. 9	0. 5 2. 0	0. 5 2. 2	0. 1 0. 6	0. 3 1. 3	0. 0 0. 2	0. 0 0. 0	0.
った - の他および部位不明の泌尿器	C68	14	6	20	0.1	0.1	0.1	0.3	0. 1	0. 3	0.1	0. 9	0. 1	0. 1	0.0	0.1	0. 2	0. 0	0.
および付属器	C69	2	1	3	0.0	0. 0			0.0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0
膜	C70	4	3	7	0.0	0.0	0.0	0. 1	0. 1	0. 1	0. 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
í	C71	95	84	179	0.6	0.8			1.9	2. 0	1.6	1. 2	1.4	1.3	1.0	1. 2	0.1	0.1	0
髄、脳神経および中枢神経系のその他の部位	C72	4	3	7	0.0	0.0	0.0		0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0
状腺	C73	42	70	112	0.3	0.7	0.5		1.6	1. 2	0.4	0.5	0.5	0.3	0.3	0.3	0.0	0.0	0.
腎 の他の内分泌腺および関連組織	C74 C75	4	6	10 3	0.0	0.1	0. 0		0.1	0. 1 0. 0	0. 1 0. 0	0. 1 0. 0	0. 1 0. 0	0. 1 0. 0	0.0	0. 1 0. 0	0. 0 0. 0	0. 0 0. 0	0.
の他の内分泌除および関連組織 の他および不明確な部位	C75 C76	4	6	<u>3</u> 10	0.0	0. 1	0. <u>V. V</u> . 0. 0		0. 1	<u>0. 0</u> . 1	0.0	0.0	0.0	0. 0	0.0	0.0	0. 0	0.0	00
ンパ節の続発性および部位不明	C77	0	0	0	0.0	0. 0			0.0	0. 0	0.0	0.0	0.0	0.0	0.0	0. 0	0.0	0.0	0.
吸器および消化器の続発性	C78	0	0	0	0.0	0. 0			0.0	0. 0	0. 0	0. 0	0. 0	0. 0	0.0	0. 0	0.0	0.0	0
の他の部位の続発性	C79	0	0	0	0.0	0.0	0.0	0. 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
位不明	C80	250	244	494	1.7	2.4	2. 0		5. 4	5. 5	2. 5	1.8	2. 1	1.7	1. 2	1.4	0. 2	0.1	0
ジキン病	C81	10	4	14	0.1	0.0			0. 1	0. 2	0.1	0.0	0.1	0.1	0.0	0. 1	0.0	0.0	0
胞性非ホジキンリンパ腫	C82	10	11	21	0.1	0.1	0.1		0. 2	0. 2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.
まん性非ホジキンリンパ腫 梢性および皮膚T細胞リンパ腫	C83	70 23	59 16	129 39	0. 5 0. 2	0. 6 0. 2			1.3	1. 4 0. 4	0. 7 0. 3	0. 5 0. 2	0. 6 0. 2	0. 5 0. 2	0.4	0. 4 0. 2	0. 0 0. 0	0. 0 0. 0	0
.有性および皮膚 細胞リンハ腫 :ホジキンリンパ腫のその他および詳細不明	C84 C85	23 396	275	39 671	2.7	2.7	2.7		6.1	0. 4 7. 5	0. 3 3. 8	2.0	0. 2 2. 8	0. 2 2. 5	1.4	0. 2 1. 9	0.0	0.0	0
・ハンヤンリンハ雇のその他のよび計画不明 性免疫増殖性疾患	C88	6	2/3	8	0.0	0.0			0. 0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0. 2	0. 1	0
発性骨髄腫および悪性形質細胞腫瘍	C90	132	115	247	0. 9	1. 1	1. 0		2. 5	2. 7	1.3	0.8	1. 0	0.8	0.5	0.6	0. 1	0. 0	0
ンパ性白血病	C91	69	32	101	0. 5	0.3	0.4	1.5	0. 7	1.1	0. 9	0.4	0. 7	0.7	0.3	0.5	0. 1	0.0	0
髄性白血病	C92	244	125	369	1.7	1. 2	1.5	5. 4	2. 8	4. 1	2. 7	1. 2	1.9	1.8	0.8	1.3	0. 2	0. 1	0
球性白血病	C93	23	3	26	0. 2	0.0			0.1	0.3	0. 2	0.0	0. 1	0. 1	0.0	0. 1	0.0	0.0	0.
の他の明示された白血病	C94	7	4	11	0.0	0.0	0.0		0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
105型 子印 の 女 女 幸		30	31	61	0. 2	0.3	0. 2	0. 7	0. 7	0. 7	0.3	0. 2	0.3	0. 2	0. 2	0. 2	0.0	0.0	0.
胞型不明の白血病 ンパ組織、造血組織および関連組織のその他および詳細不明	C95 C96	0	1		0.0	0.0			0. 0	0. 0	0. 0	0.0	0.0	0.0	0.0	0.0	0.0	0. 0	0

			神余川県												2019年				
部位		死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
											日本人口			世界人口					
	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女糸	総数 *
上皮内がん	D00-D09	0	0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	14	23	37	0. 1	0. 2	0. 1	0. 3	0. 5	0. 4	0. 1	0. 2	0. 2	0. 1	0. 1	0. 1	0.0	0. 0	0. 0
髄膜	D32	11	18	29	0. 1	0. 2	0. 1	0. 2	0.4	0. 3	0. 1	0. 2	0. 1	0.1	0. 1	0. 1	0.0	0.0	0.0
脳および中枢神経系	D33	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	3	1	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	313	185	498	2. 1	1.8	2. 0	7. 0	4. 1	5. 5	3. 0	1.4	2. 1	1. 9	1. 0	1.4	0. 2	0.1	0. 1
髄膜	D42	1	1	2	0.0	0.0	0. 0	0.0	0.0	0. 0	0. 0	0.0	0.0	0.0	0. 0	0. 0	0. 0	0.0	0.0
脳および中枢神経系	D43	59	70	129	0.4	0.7	0.5	1.3	1.6	1.4	0.6	0.6	0.6	0.5	0.5	0.5	0.0	0.0	0.0
下垂体	D443	4	1	5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球增加症	D45	0	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	212	85	297	1.4	0.8	1. 2	4. 7	1. 9	3. 3	1.9	0.5	1.1	1. 2	0.3	0. 7	0. 1	0.0	0.1
慢性骨髓增殖性疾患	D471	9	5	14	0. 1	0.0	0.1	0. 2	0. 1	0. 2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性 (出血性) 血小板血症	D473	5	4	9	0.0	0.0	0.0	0.1	0. 1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

^{*1} 総数は男女および性別不詳の合計