

表11-2. 年齢階級別死亡率(人口10万対、85歳以上まるめ)：部位別、性別

性別	部位	ICD10	総数※1	神奈川県 2020年																			
				0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	326.0	0.6	1.6	2.6	1.4	1.2	6.9	5.6	7.8	18.4	40.0	71.4	161.9	294.3	547.8	847.3	1261.8	1763.6	2801.6	—	
	口腔・咽頭	C00-C14	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.6	1.0	4.6	6.1	11.6	24.8	24.4	33.8	41.1	63.4	—	
	食道	C15	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.8	4.9	8.7	19.6	33.1	42.2	59.6	68.1	84.5	—	
	胃	C16	40.4	0.0	0.0	0.0	0.0	0.0	0.8	0.8	2.1	2.8	4.6	6.5	16.8	32.5	53.6	104.4	162.0	228.2	378.7	—	
	大腸(結腸・直腸)	C18-C20	43.8	0.0	0.0	0.0	0.0	0.0	0.8	1.2	1.8	2.8	7.1	14.1	27.1	45.3	88.7	125.3	149.8	219.8	331.6	—	
	結腸	C18	29.3	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.4	1.5	4.3	8.9	15.8	23.7	50.5	81.0	101.1	154.2	260.1	—	
	直腸	C19-C20	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	1.2	2.8	5.1	11.3	21.7	38.3	44.3	48.7	65.6	71.5	—	
	肝および肝内胆管	C22	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	2.8	3.0	12.3	22.9	38.3	60.0	76.3	111.8	208.9	—	
	胆のう・胆管	C23-C24	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.0	5.5	10.4	18.1	21.6	46.9	79.7	118.7	—	
	膀胱	C25	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	2.8	5.8	8.9	24.8	28.1	65.9	87.3	110.6	134.3	191.0	—	
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	3.2	3.5	3.2	3.2	10.6	—	
	肺	C33-C34	74.8	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	1.5	5.8	12.4	29.7	59.3	126.2	209.5	331.7	419.7	585.2	—
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.8	1.0	2.0	1.2	1.7	5.9	3.9	16.3	—
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.8	0.6	1.6	—
	前立腺	C61	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.6	8.0	15.8	34.2	76.3	130.5	255.2	—
	膀胱	C67	9.6	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.5	1.1	1.3	5.2	6.3	18.9	30.7	52.7	151.2	—	
	腎・尿路(膀胱除く)	C64-C66 C68	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	1.3	2.4	2.9	8.8	15.8	24.4	34.7	57.2	100.0	—
	脳・中枢神経系	C70-C72	2.3	0.0	0.5	1.5	0.5	0.0	0.4	0.8	0.4	0.4	1.2	1.8	1.6	2.3	2.4	3.9	3.1	9.5	10.3	7.3	—
	甲状腺	C73	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.3	0.0	1.2	2.4	2.7	5.1	9.8	—	
	悪性リンパ腫	C81-C85 C96	10.9	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.4	0.9	1.8	2.4	4.8	11.6	12.6	25.1	36.1	74.6	99.2	—	
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.6	0.8	4.3	9.4	10.4	22.5	18.7	—	
	白血病	C91-C95	7.6	0.0	0.5	1.0	0.5	0.8	0.4	0.8	0.0	0.9	1.8	1.4	4.5	8.4	12.6	17.5	28.9	40.5	57.7	—	

※1 総数は年齢不詳を含む

※2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率(人口10万対、85歳以上まるめ)：部位別、性別

性別	部位	ICD-10	総数※1	神奈川県 2020年																			
				0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	219.5	1.3	0.0	3.2	0.5	0.4	1.7	8.7	17.4	33.9	55.7	82.3	129.7	182.5	303.1	407.2	546.6	812.0	1297.3	—	
	口腔・咽頭	C00-C14	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0	1.1	2.9	3.1	3.4	6.3	13.9	32.0	—	
	食道	C15	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.1	3.5	5.9	7.7	7.5	6.6	14.9	19.8	—	
	胃	C16	19.1	0.0	0.0	0.0	0.5	0.0	0.0	0.9	1.1	1.6	3.8	5.3	8.4	11.3	25.3	32.2	42.0	78.8	130.7	—	
	大腸(結腸・直腸)	C18-C20	32.7	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.9	3.3	6.7	8.8	16.9	23.0	36.0	62.2	82.9	112.0	224.6	—	
	結腸	C18	24.9	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.1	2.6	4.8	5.6	11.3	14.2	26.1	47.2	60.0	86.1	183.0	—	
	直腸	C19-C20	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	1.9	3.2	5.6	8.8	10.0	15.0	22.8	26.0	41.7	—	
	肝および肝内胆管	C22	10.7	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.4	0.7	0.8	1.8	2.1	6.7	8.4	18.1	29.5	47.6	76.5	—	
	胆のう・胆管	C23-C24	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.6	2.8	3.3	11.1	15.3	26.5	43.3	78.5	—	
	胰臓	C25	27.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.3	3.2	5.0	12.0	18.8	39.8	57.8	80.3	124.0	144.5	—	
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	—	
	肺	C33-C34	29.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	2.6	3.8	3.8	8.1	17.6	38.3	64.4	86.2	126.0	183.0	—
	皮膚	C43-C44	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.4	1.1	2.2	2.6	3.4	5.7	—	
	乳房	C50	24.4	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.7	9.1	19.8	25.0	33.1	33.5	49.8	48.4	48.6	51.0	81.4	—	
	子宮	C53-C55	10.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.9	4.6	5.1	8.8	14.4	18.4	17.6	20.0	21.7	21.6	33.2	—	
	子宮頸部	C53	4.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	3.6	3.2	5.0	6.0	6.3	5.0	7.8	6.3	10.6	11.3	—	
	子宮体部	C54	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.1	1.5	5.3	6.3	9.6	9.4	8.8	5.8	11.7	—	
	卵巣	C56	8.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	2.3	4.6	5.1	10.9	11.6	20.5	13.4	16.6	13.3	16.8	19.0	—	
	膀胱	C67	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	1.7	2.7	3.4	8.1	13.0	34.0	—	
	腎・尿路(膀胱除く)	C64-C66 C68	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.5	0.6	2.1	0.8	7.7	7.5	11.4	26.4	42.9	—	
	脳・中枢神経系	C70-C72	1.7	0.0	0.0	1.1	0.0	0.0	0.0	1.7	0.4	0.0	0.8	0.6	0.4	1.3	3.8	3.7	6.3	6.7	3.2	—	
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	1.9	2.2	6.7	12.5	—		
	悪性リンパ腫	C81-C85 C96	7.9	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.7	0.3	1.8	2.1	1.7	10.0	10.9	22.1	36.5	57.1	—	
	多発性骨髓腫	C88-C90	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	0.8	4.6	2.5	7.0	14.4	17.8	—	
	白血病	C91-C95	4.5	0.6	0.0	0.5	0.0	0.0	0.9	0.0	0.8	1.6	1.3	0.9	3.9	2.5	5.4	11.2	14.0	12.5	21.9	—	

※1 総数は年齢不詳を含む

※2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率(人口10万対、85歳以上まるめ)：部位別、性別

性別	部位	ICD10	総数※1	神奈川県 2020年																			
				0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
総数※2	全部位	C00-C97	272.4	0.9	0.8	2.9	1.0	0.8	4.4	7.1	12.4	25.9	47.6	76.7	146.5	239.6	423.7	615.0	868.0	1219.2	1797.4	—	
	口腔・咽頭	C00-C14	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.9	2.4	3.7	7.4	13.8	13.4	18.7	25.6	42.4	—	
	食道	C15	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	3.5	6.2	12.9	20.2	23.9	30.4	37.7	41.3	—	
	胃	C16	29.7	0.0	0.0	0.0	0.2	0.0	0.4	0.8	1.6	2.2	4.2	5.9	12.8	22.1	39.3	66.3	95.9	142.7	213.2	—	
	大腸(結腸・直腸)	C18-C20	38.2	0.0	0.0	0.0	0.0	0.0	0.6	1.0	1.8	3.0	6.9	11.6	22.2	34.4	62.0	92.0	113.0	158.1	260.2	—	
	結腸	C18	27.1	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.7	2.1	4.6	7.3	13.6	19.0	38.1	63.2	78.5	115.2	208.6	—	
	直腸	C19-C20	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	0.9	2.3	4.2	8.6	15.4	23.9	28.9	34.5	42.9	51.6	—	
	肝および肝内胆管	C22	16.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.5	0.9	1.8	2.4	7.4	15.0	23.1	37.9	50.5	75.1	120.5	—
	胆のう・胆管	C23-C24	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	1.8	4.2	7.0	14.6	18.3	35.7	58.9	91.9	—
	膀胱	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	3.0	4.6	7.0	18.7	23.6	52.7	71.7	93.9	128.4	160.0	—	
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.6	1.6	1.6	4.3	—	
	肺	C33-C34	52.2	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.4	2.1	4.8	8.3	19.3	38.9	81.6	132.9	196.5	251.7	316.7	—	
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	1.2	1.2	2.0	4.1	3.6	9.2	—	
	乳房	C50	12.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.7	4.4	9.6	12.0	16.0	16.4	25.3	25.7	27.6	29.4	54.9	—	
	子宮	C53-C55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	子宮頸部	C53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	子宮体部	C54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	卵巣	C56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	前立腺	C61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.3	0.6	0.8	3.5	4.5	10.7	18.3	30.0	73.0	—	
	腎・尿路(膀胱除く)	C64-C66 C68	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.9	1.6	2.5	4.9	11.7	15.5	21.9	39.6	61.9	—	
	脳・中枢神経系	C70-C72	2.0	0.0	0.3	1.3	0.2	0.0	0.2	1.3	0.4	0.6	1.3	1.1	1.3	1.8	3.9	3.5	7.7	8.3	4.6	—	
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.8	0.2	1.6	2.3	2.4	6.1	11.6	—	
	悪性リンパ腫	C81-C85 C96	9.4	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.2	0.8	1.0	2.1	3.5	6.8	11.3	17.6	28.4	52.8	71.1	—	
	多発性骨髓腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.2	0.8	4.5	5.8	8.5	17.9	18.1	—	
	白血病	C91-C95	6.0	0.3	0.3	0.8	0.2	0.4	0.6	0.4	0.4	1.3	1.6	1.1	4.2	5.5	8.9	14.2	20.7	24.5	33.8	—	

※1 総数は年齢不詳を含む

※2 総数は男女および性別不詳の合計